



### Nature & Technology

For Industry | Building | Home

Krone Feine Gips

### **SPORTPLATZGIPS**

Marking gypsum

Made from naturally occurring gypsum stone No additional factory additives

Fine white powder for marking out sports fields and playing areas For hard courts and grass pitches

Good adhesion, stability, tread grip

### Remains highly visibility for a long time

Environmentally friendly (no risk of chemical burns)

Gypsum scattering grit for application with any standard marking trolley

For outdoor areas

# Technical data sheet **Sports field gypsum**Gypsum grit for scattering



	Construction product and intended use		
Description	Finely ground pure natural gypsum powder (calcium sulphate) for marking outdoor sports fields and playing areas  6 months Store in a dry area; protect from moisture absorption. Close open containers firmly and use material in the near future		
Approximate shelf life			
Special characteristics	Ecologically harmless white marking powder made of > 95 % CaSO <sub>4</sub> × 0.5H <sub>2</sub> O (gypsum binder, calcium sulphate hemihydrate) In pure mineral form without factory additives No risk of chemical burns, safe for humans and animals Affordable alternative to wet marking Dry scattering material, easy to handle, easy application Good adhesion, tread grip and stability, easy on the grass Remains highly visible for a long time Left-over material can remain in the trolley (if stored under protection from the weather; it is recommended to remove remaining material in the autumn/winter). Leaves dry marking trolleys easy to clean Easy to apply and work with, especially in amateur situations		
Intended use	Marking material for sports fields and play areas for hard courts, as well as courts made of sand, ash, cinder, compacted soil, granulated slag pitches and tracks as well as grass pitches.  Not to be used on hard tennis courts or on artificial turf.		
Range of applications	On all suitable outdoor sports fields and play areas, such as football fields, running tracks and throwing pitches.		
Application	For application with standard commercial mechanically operated dry marking trolleys (to be applied by brush or vibrating sieve).		
	Technical properties		
Reaction to fire	Non-combustible Class A (no contribution to fire) according to 96/603/EC		
Hygiene, health	Observe safety instructions		
Approximate yield	1 playing field marking/25 kg		

## Technical data sheet **Sports field gypsum**Gypsum grit for scattering



Table of contents	Type of packaging			
25.0 kg	Paper sack			
Hazard designation				

Item data and forms for supply						
Type of secondary packaging	Packaging unit	Weight/pallet	Item			
	40 sacks	1,000 kg	Material no. EAN	follow 4003230007234		
Not classified as hazardous according to CLP Regulation (EC) no. 1272/2008						

This is a translation of the technical data sheet valid in Germany. The contents are in compliance with the regulations in Germany. If used in other countries, other regulations may apply that stipulate other requirements for use and give preference to other application procedures. VG-ORTH GmbH & Co. KG does not accept any liability for use outside of Germany.

Our data sheets provide technical information, instructions and recommendations intended to help better fulfil the intended purpose of the product and to be able to deal with any possible obstacles when applying the product. The contents are based on our information and experience; they might not reflect the scope and current status of the recognised rules of building technology in Germany. If used in other countries, other regulations may apply that stipulate other requirements for use and give preference to other application procedures.

Before starting work, the user must bear in mind that he assumes sole liability for his actions, for understanding how to use the product, for being familiar with our contents in order to ensure the safety of himself and others and for being suitably familiar with relevant national and European Standards and with corresponding country-specific rules of the trade.

Our warranty applies to our products when in flawless condition. Information about the product, e.g. on yield, are based on reference test procedures; the results of these tests cannot be transferred identically in the event that circumstances are different, e.g., at construction sites.

Please observe the copyright. Rights of use and exploitation of our contents by third parties require our written consent.

DIN EN ISO 9001 DIN EN ISO 14001 DIN EN ISO 50001



### VG-ORTH GMBH & CO. KG

Holeburgweg 24 37627 Stadtoldendorf Telephone: +49 5532 505-0 Fax: +49 5532 505-560 info@kronefeinegips.de





Updated VG0 | KFG | TM | SP0 | EN | 01.23 | 1 | 0

Krone Feine Gips is a trademark of VG-ORTH GmbH & Co. KG.