

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Krone Feine Gips Fassadenspachtel

UFI: 5SYK-F112-Q00E-CV5F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cementitious, mineral-based filler for interior and exterior use.

Uses advised against

- Coating of floors
- Gypsum-based substrates

1.3. Details of the supplier of the safety data sheet

Company name:	VG-ORTH GmbH & Co. KG	
Street:	Holeburgweg 24	
Place:	D-37627 Stadtoldendorf	
Telephone:	+49 (0) 5532 505-0	Telefax: +49 (0) 5532 505-550
E-mail:	info@vg-orth.de	
E-mail (Contact person):	sdb-info@vg-orth.de	
Internet:	www.vg-orth.com	

1.4. Emergency telephone number:

Germany: Poison centre Charité Berlin: +49 30/30686 700

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315
Eye Dam. 1; H318
STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Portland cement
calcium dihydroxide

Signal word: Danger

Pictograms:



Hazard statements

Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.

Precautionary statements

Keep out of reach of children.
Avoid breathing dust.
Use only outdoors or in a well-ventilated area.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 2 of 9

Wear protective gloves/protective clothing and eye protection/face protection.
 IF ON SKIN: Wash with plenty of water and soap.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a POISON CENTER/doctor.
 If skin irritation occurs: Get medical advice/attention.
 Dispose of contents/container according to national/local hazardous waste disposal regulations.

2.3. Other hazards

Hazard designation 'Irritant' does not apply to dry powder, but only applies after exposure to moisture or water (alkaline reaction).

The preparation is low in chromate according to the regulation, as the content of sensitizing chromate (VI) is reduced to < 2 ppm in the cement content of the ready-to-use mortar by means of additives.

A prerequisite for the effectiveness of chromate reduction is proper storage and observance of the expiration date. In case of improper storage (ingress of moisture) or overstorage, however, the chromate reducer contained may lose its effectiveness prematurely and the cement/binding agent may have a sensitizing effect on skin contact (H317 or EUH203)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
65997-15-1	Portland cement			25-45 %
	266-043-4			
	Skin Irrit. 2, STOT SE 3; H315 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
65997-15-1	266-043-4	Portland cement	25-45 %
	inhalation: LC50 = 5 mg/l (dusts or mists); dermal: LD50 = 2000 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Products containing cement, low in chromate. The product develops an alkaline pH value with moisture and can cause irritation.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician. Get medical advice/attention if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 3 of 9

clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/irritation. Irritating to skin. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Inhalation (dust/mist). The product itself does not burn. Product hardens in contact with water.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Knock down dust with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For non-emergency personnel

Remove persons to safety. Wear protective gloves/protective clothing/eye protection/face protection.

For emergency responders

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Collect spillage. Measures to prevent aerosol and dust generation

For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Water

Other information

Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 4 of 9

7.1. Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area.
Avoid: Inhalation of dust/particles, Dermal, Eye contact

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Protect from moisture.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Cementitious, mineral-based filler for interior and exterior use. Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Use only outdoors or in a well-ventilated area. Do not breathe dust.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Suitable eye protection: Eye glasses with side protection.

Hand protection

Use protective skin cream before handling the product.
Recommended glove articles: Disposable gloves NBR (Nitrile rubber)
Do not wear gloves near rotary machines and tools.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Suitable respiratory protection apparatus: FFP2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid, Powder
Colour:	white
Odour:	characteristic

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 5 of 9

Test method

Melting point/freezing point:	> 1000 °C
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	11.0-13.5 (100 g/l in water)
Viscosity / kinematic:	not applicable
Water solubility:	< 50 g/l
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	not determined
Bulk density:	850-1450 kg/m ³
Relative vapour density:	not determined
Particle characteristics:	not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Oxidizing properties

The product is not: oxidising.

Further Information

Product/Substance is inorganic.

UN Test N.4

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions. The product develops an alkaline pH value with moisture and can cause irritation.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from moisture.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
65997-15-1	Portland cement				
	dermal	LD50 2000 mg/kg	Rat		
	inhalation dust/mist	LC50 5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Portland cement)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain substances $\geq 0.1\%$ of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
65997-15-1	Portland cement					
	Acute algae toxicity	ErC50 28,2 mg/l	72 h	Desmodesmus subspcatus		

12.2. Persistence and degradability

Product/Substance is inorganic.

12.3. Bioaccumulative potential

Product/Substance is inorganic.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 7 of 9

12.4. Mobility in soil

Product/Substance is inorganic.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The building material residues remaining after hydration do not pose a toxicological risk.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

170101 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); concrete, bricks, tiles and ceramics; Concrete

List of Wastes Code - contaminated packaging

150101 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 8 of 9

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Skin Irrit: Skin irritation

Eye Dam: Eye damage

STOT SE: Specific target organ toxicity - single exposure

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

M-factor: Multiplying factor

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: volatile organic compound

SVHC: Substance of Very High Concern

Employment restrictions for young people (CH)

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	
Eye Dam. 1; H318	
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Krone Feine Gips Fassadenspachtel

Revision date: 27.04.2026

Page 9 of 9

for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)